

Migration Dry Run Results

control-m → JAMS Scheduler · Dry Run · Generated 9/22/2026, 9:36:26 AM

This report records the outcome of validating 161 jobs from control-m into JAMS Scheduler. A dry run checks every job against JAMS without creating anything. It lists what was created, what needs manual work to finish, and every conversion warning raised along the way.

Run Details

Where these jobs came from and where they were written.

JAMS SERVER	TARGET FOLDER PREFIX (none)	SOURCE SYSTEM(S) control-m	MODE Dry Run
-------------	--------------------------------	-------------------------------	-----------------

Results

Outcome per job, rolled up.

161 Total Jobs	161 Would Succeed	0 Skipped	0 Failed
-------------------	----------------------	--------------	-------------

Conversion Warnings

Everything the conversion flagged, by severity. Warnings are listed per job in the table below.

0 Errors	71 Warnings	68 Info	97 jobs need manual steps →
----------	-------------	---------	-----------------------------

Manual Steps Required in JAMS

97 of 161 jobs need manual work in JAMS to complete the migration.

DW-0400-FACT-BUILD Dry Run OK CONTROL-M - The job uses OR-logic input conditions; JAMS triggers are additive — verify the predecessor logic in JAMS. CONTROL_M_OR_DEPENDENCY - The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable. CONTROL_M_MACRO_UNMAPPED
DW-0500-ERP-RECONCILE Dry Run OK CONTROL-M The job targets a database other than SQL Server, so it was imported as an OdbcCommand job with its SQL carried across unchanged. A Control-M export contains no server, credentials or driver for the connection profile — set the job's SQL Connection property, or put a driver-specific connection string in its ConnectionString parameter. CONTROL_M_DB_TYPE_NOT_SQLSERVER
DW-0600-MART-PUBLISH Dry Run OK CONTROL-M A dependency (INCOND) had no producer in the export and was skipped — verify/re-create it in JAMS. CONTROL_M_DEPENDENCY_UNRESOLVED
DW-0900-LOAD-MONITOR Dry Run OK CONTROL-M Control-M stopped this cyclic job on a condition (SPCYC); JAMS has no equivalent early-stop and keeps resubmitting across the run window. Review the stop condition and bound the repeat interval in JAMS. CONTROL_M_CYCLIC_STOP_IGNORED
DW-1001-CUSTOMER-DIM-QA Dry Run OK CONTROL-M The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable. CONTROL_M_MACRO_UNMAPPED
DW-1004-SALES-AGG-WEEK Dry Run OK CONTROL-M - The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then. CONTROL_M_SHOUT_DESTINATION_UNRESOLVED - The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable. CONTROL_M_MACRO_UNMAPPED
DW-1007-RETURNS-AGG Dry Run OK CONTROL-M The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable. CONTROL_M_MACRO_UNMAPPED

DW-1010-FORECAST-PUBLISH Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

DW-1013-INDEX-REBUILD Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

DW-1016-LOAD-AUDIT Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-0100-GL-EXTRACT Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-0130-GL-VALIDATE Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-0215-AR-AGING Dry Run OK CONTROL-M

- A Control-M export records a stored procedure's parameter names, types and directions but not their values — supply the values on the JAMS CONTROLM_DB_STORED_PROC_PARAMS job.

FIN-0230-SUBLEDGER-RECON Dry Run OK CONTROL-M

- The job uses a Control-M variable function (SUBSTR, CALCDATE, WCALC, GETENV...). These take arguments rather than resolving to a value, CONTROLM_VARIABLE_FUNCTION so the expression was carried across exactly as written instead of being rewritten into something that resolves to nothing. Translate it to the equivalent JAMS expression.
- The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the CONTROLM_SHOUT_DESTINATION_UNRESOLVED export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then.
- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-0400-FX-RATES_2 Dry Run OK CONTROL-M

- Two source jobs shared a name in the same folder (JAMS requires unique names per folder); this one was auto-renamed with a numeric suffix. CONTROLM_DUPLICATE_JOB_NAME Verify it is a genuine duplicate (e.g. an ad-hoc variant) and rename or remove it if not needed.

FIN-0501-JOURNAL-IMPORT Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-0504-ALLOC-RUN Dry Run OK CONTROL-M

- The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the CONTROLM_SHOUT_DESTINATION_UNRESOLVED export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then.
- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-0507-TRIALBAL-BUILD Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-0510-SEGMENT-SPLIT Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-0513-LEDGER-SNAPSHOT Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-ME-0100-PERIOD-OPEN Dry Run OK CONTROL-M

- A Control-M export records a stored procedure's parameter names, types and directions but not their values — supply the values on the JAMS `CONTROLM_DB_STORED_PROC_PARAMS` job.

FIN-ME-0200-DEPRECIATION Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-ME-0400-STATUTORY-REPORTS Dry Run OK CONTROL-M

- Source used a calendar-based schedule — map it manually to a JAMS date-arithmetic schedule. `CONTROLM_CALENDAR_SCHEDULE`
- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-ME-0500-CLOSE-ARCHIVE Dry Run OK CONTROL-M

- Run days come from a Control-M calendar the job names but the export does not define — only the name, which the message quotes. No trigger was created; recreate that calendar's pattern as a schedule trigger in JAMS. `CONTROLM_RBC_SCHEDULE`
- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-ME-0600-AUDIT-EXTRACT Dry Run OK CONTROL-M

- The job states a start time but no run days at all, so Control-M never orders it automatically — it is run by hand or forced. No trigger was created because picking run days would invent a schedule. If it should run on a clock, add a trigger at the time given in the message with the intended days. `CONTROLM_TIME_WITHOUT_RUN_DAYS`
- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-ME-0601-REVENUE-CUTOFF Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-ME-0604-MARGIN-ANALYSIS Dry Run OK CONTROL-M

- The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then. `CONTROLM_SHOUT_DESTINATION_UNRESOLVED`
- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

FIN-ME-0607-DISCLOSURE-EXTRACT Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

HR-BEN-1001-ELIGIBILITY-SCAN Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

HR-BEN-1004-PENSION-FILE Dry Run OK CONTROL-M

- The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then. `CONTROLM_SHOUT_DESTINATION_UNRESOLVED`
- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

HR-BEN-1007-GARNISHMENT-APPLY Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

HR-PAY-0100-TIMECARD-IMPORT Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

HR-PAY-0200-PAYROLL-CALC Dry Run OK CONTROL-M

- A completion deadline/SLA was mapped to the JAMS SLATime property (an absolute time of day the job must complete by). Verify the time in JAMS. `SLA_MAPPED`
- A JAMS runaway limit was derived from a SHOUT LATETIME (late-to-finish) deadline minus the scheduled start. Verify the runaway duration is `CONTROLM_RUNAWAY_FROM_DEADLINE` the intended maximum run time.
- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

HR-PAY-0300-BANKFILE-GEN Dry Run OK CONTROL-M

- A JAMS stalled limit was derived from a SHOUT LATESUB (late-to-start) deadline minus the scheduled start. Verify the stalled duration — it `CONTROLM_STALLED_FROM_DEADLINE` alerts when the job has not started in time (e.g. a missing dependency).
- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

HR-PAY-0400-BANKFILE-SEND Dry Run OK CONTROL-M

- Configure the file-transfer connection (server, paths, credential) for this FileTransfer job in JAMS. `CONTROLM_FTP_MANUAL_CONFIG`
- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

OPS-1201-AGENT-PING Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

OPS-1204-PATCH-INVENTORY Dry Run OK CONTROL-M

- The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then. `CONTROLM_SHOUT_DESTINATION_UNRESOLVED`
- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

OPS-1207-LICENSE-CHECK Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

OPS-1210-CAPACITY-TREND Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

OPS-AGENT-INVENTORY Dry Run OK CONTROL-M

- The run days came from the export but the run time did not, so the trigger was created at 00:00. Set it to the Control-M new-day (order) time — a `CONTROLM_ORDER_TIME_ASSUMED` server setting that is not part of a job export.

OPS-AS400-DAY-END Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path `CONTROLM_MACRO_UNMAPPED` that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

OPS-CERT-ROTATION Dry Run OK CONTROL-M

The job's run days come from a Control-M calendar whose definition is not in a job export — only the name, which the message gives. No trigger was created and its dependencies wait rather than start, so nothing submits it. Recreate that calendar's pattern as a schedule trigger and the dependency will gate it.	CONTROLM_GATED_WITHOUT_TRIGGER
OPS-FEED-FILEWATCH Dry Run OK CONTROL-M The command runs a Control-M agent utility that exists only on a Control-M agent, so the job will fail as imported. Replace it with the JAMS construct that does the same thing — for ctmfw, a file dependency on the job; for ctmfts, a FileTransfer job.	CONTROLM_AGENT_UTILITY_COMMAND
OPS-POSTLOAD-VALIDATION Dry Run OK CONTROL-M The job states no run days at all, so Control-M never orders it automatically — it is run by hand or forced by another job. Nothing submits it as imported. Submit the flow on demand in JAMS, or add one schedule trigger to the job at the head of it and the dependencies will carry the rest.	CONTROLM_ORDERED_ON_DEMAND
OPS-SAP-VARIANT-RUN Dry Run OK CONTROL-M The job type has no JAMS REST source schema — an empty Command shell was created; add the command/source in JAMS.	CONTROLM_SOURCE_NOT_WRITTEN
OPS-SET-RUN-FLAG Dry Run OK CONTROL-M On completion the job set a Control-M variable (a global one if the name starts with a backslash) that other jobs read. JAMS has no equivalent action on a job, so it was not converted — reproduce it with a final step that sets a JAMS variable, or with a job dependency if the variable only existed to sequence work.	CONTROLM_DOVARIABLE_IGNORED
OPS-VENDOR-SYNC Dry Run OK CONTROL-M Control-M forced this job to complete OK on specific return codes (named in the warning). Set the equivalent success exit codes on the JAMS job so those outcomes are not treated as failures.	CONTROLM_FORCE_OK_IGNORED
SCM-0630-INBOUND-ARCHIVE Dry Run OK CONTROL-M The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.	CONTROLM_MACRO_UNMAPPED
SCM-0700-PARTNER-RELAY Dry Run OK CONTROL-M - Configure the file-transfer connection (server, paths, credential) for this FileTransfer job in JAMS. - The source transfers directly between two remote hosts. A JAMS FileTransfer job moves files between one connection and the agent's local filesystem — split it into two steps staging the file locally.	CONTROLM_FTP_MANUAL_CONFIG CONTROLM_FTP_REMOTE_TO_REMOTE
SCM-0745-CARRIER-FILE-WATCH Dry Run OK CONTROL-M A Control-M "Watch only" transfer definition waits for a file to reach a size or pass a time limit and moves nothing — a precondition, not a transfer. JAMS has no equivalent on a FileTransfer job, so it was not imported. Add a file dependency in JAMS if the wait matters.	CONTROLM_FTP_WATCH_ONLY
SCM-0755-CATALOG-RECV-CSTL Dry Run OK CONTROL-M - The transfer reads from the remote server but the source names no file to fetch — only a directory, or no path at all. A remote file specification is required on a receive (blank selects nothing, unlike a send where blank keeps the source name). Set the file name or mask in JAMS. - Configure the file-transfer connection (server, paths, credential) for this FileTransfer job in JAMS.	CONTROLM_FTP_NO_SOURCE_FILE CONTROLM_FTP_MANUAL_CONFIG
SCM-0901-DEMAND-SIGNAL Dry Run OK CONTROL-M The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.	CONTROLM_MACRO_UNMAPPED
SCM-0904-PO-SUGGEST Dry Run OK CONTROL-M - The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then. - The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.	CONTROLM_SHOUT_DESTINATION_UNRESOLVED CONTROLM_MACRO_UNMAPPED
SCM-0907-BACKORDER-SCAN Dry Run OK CONTROL-M The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.	CONTROLM_MACRO_UNMAPPED

SCM-0910-PICK-RELEASE Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

SLS-0430-CREDIT-CHECK Dry Run OK CONTROL-M

- A Control-M export records a stored procedure's parameter names, types and directions but not their values — supply the values on the JAMS CONTROLM_DB_STORED_PROC_PARAMS job.

SLS-0601-BACKORDER-RELEASE Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

SLS-0604-SHIPMENT-STAGE Dry Run OK CONTROL-M

- The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the CONTROLM_SHOUT_DESTINATION_UNRESOLVED export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then.
- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

SLS-0607-INVOICE-GENERATE Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

SLS-0610-TERRITORY-ROLLUP Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

SLS-0613-RMA-CREDIT Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

SLS-0616-SALESTAX-FILE Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

SLS-RPT-1901-DAILY-SALES Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

SLS-RPT-1904-TOP-PRODUCTS Dry Run OK CONTROL-M

- The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the CONTROLM_SHOUT_DESTINATION_UNRESOLVED export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then.
- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

SLS-RPT-1907-PIPELINE-AGING Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

SLS-RPT-1910-RPT-DISTRIBUTE Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

DW-0700-QUALITY-GATE Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS.

EMAIL_NOTIFICATION_MAPPED

DW-1005-INVENTORY-SNAPSHOT Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.
- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS.

EMAIL_NOTIFICATION_MAPPED

DW-1011-LOOKUP-REFRESH Dry Run OK CONTROL-M

- The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then. CONTROLM_SHOUT_DESTINATION_UNRESOLVED

DW-1014-PARTITION-SWITCH Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.
- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS.

EMAIL_NOTIFICATION_MAPPED

FIN-0300-DAILY-CLOSE-GATE Dry Run OK CONTROL-M

- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS.

EMAIL_NOTIFICATION_MAPPED

FIN-0420-LEGACY-STATEMENTS Dry Run OK CONTROL-M

- Job was retired in the source (ACTIVE_TILL in the past), so it was imported disabled — enable it in JAMS when ready.

CONTROLM_RETIRED

FIN-0505-TAX-PROVISION Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.
- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS.

EMAIL_NOTIFICATION_MAPPED

FIN-0511-FXREVAL-POST Dry Run OK CONTROL-M

- The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then. CONTROLM_SHOUT_DESTINATION_UNRESOLVED

FIN-0514-GL-ARCHIVE Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.
- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS.

EMAIL_NOTIFICATION_MAPPED

FIN-ME-0605-BUDGET-COMPARE Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.
- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS.

EMAIL_NOTIFICATION_MAPPED

HR-BEN-1005-HSA-CONTRIB Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.
- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS.

EMAIL_NOTIFICATION_MAPPED

HR-PAY-0500-PAYSLIP-PUBLISH Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.
- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS.
- Job documentation was not written (no endpoint yet) — re-add the documentation in JAMS if needed. CONTROLM_DOCUMENTATION_DEFERRED

EMAIL_NOTIFICATION_MAPPED

OPS-1205-SERVICE-AUDIT Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.
- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS. EMAIL_NOTIFICATION_MAPPED

OPS-BACKUP-VERIFY-FULL Dry Run OK CONTROL-M

- The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then. CONTROLM_SHOUT_DESTINATION_UNRESOLVED

OPS-INDEX-REBUILD-ONDEMAND Dry Run OK CONTROL-M

- No schedule trigger was created (runs on demand) — add a trigger in JAMS if it should run on a clock. CONTROLM_NO_SCHEDULE

OPS-LOG-PURGE Dry Run OK CONTROL-M

- Quantitative/control resources were not converted — configure JAMS resources/concurrency manually. CONTROLM_RESOURCE_DROPPED

SCM-0500-PO-SEND-ACME Dry Run OK CONTROL-M

- Configure the file-transfer connection (server, paths, credential) for this FileTransfer job in JAMS. CONTROLM_FTP_MANUAL_CONFIG

SCM-0530-ASN-RECV-BRDG Dry Run OK CONTROL-M

- Configure the file-transfer connection (server, paths, credential) for this FileTransfer job in JAMS. CONTROLM_FTP_MANUAL_CONFIG

SCM-0600-INVOICE-RECV-CSTL Dry Run OK CONTROL-M

- Configure the file-transfer connection (server, paths, credential) for this FileTransfer job in JAMS. CONTROLM_FTP_MANUAL_CONFIG

SCM-0730-INVENTORY-SEND-DELT Dry Run OK CONTROL-M

- Configure the file-transfer connection (server, paths, credential) for this FileTransfer job in JAMS. CONTROLM_FTP_MANUAL_CONFIG

SCM-0750-NIGHTLY-PARTNER-EXCHANGE Dry Run OK CONTROL-M

- The Control-M job defined several numbered transfers, which a single JAMS FileTransfer job cannot express — it was imported as a Sequence with one child job per transfer (hence more jobs than the export). Verify the step order and each child's paths. CONTROLM_MULTI_TRANSFER_SEQUENCE

SCM-0750-NIGHTLY-PARTNER-EXCHANGE - Transfer 1 Dry Run OK CONTROL-M

- Configure the file-transfer connection (server, paths, credential) for this FileTransfer job in JAMS. CONTROLM_FTP_MANUAL_CONFIG

SCM-0750-NIGHTLY-PARTNER-EXCHANGE - Transfer 2 Dry Run OK CONTROL-M

- Configure the file-transfer connection (server, paths, credential) for this FileTransfer job in JAMS. CONTROLM_FTP_MANUAL_CONFIG

SCM-0750-NIGHTLY-PARTNER-EXCHANGE - Transfer 3 Dry Run OK CONTROL-M

- Configure the file-transfer connection (server, paths, credential) for this FileTransfer job in JAMS. CONTROLM_FTP_MANUAL_CONFIG

SCM-0905-SUPPLIER-ALLOC Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.
- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS. EMAIL_NOTIFICATION_MAPPED

SCM-0911-CARRIER-TENDER Dry Run OK CONTROL-M

- The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then. CONTROLM_SHOUT_DESTINATION_UNRESOLVED

SLS-0605-CARRIER-RATE Dry Run OK CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path CONTROLM_MACRO_UNMAPPED that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.

- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS.

EMAIL_NOTIFICATION_MAPPED

SLS-0611-QUOTA-UPDATE

Dry Run OK

CONTROL-M

- The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then.

CONTROLM_SHOUT_DESTINATION_UNRESOLVED

SLS-0614-CUSTOMER-SYNC

Dry Run OK

CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.
- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS.

EMAIL_NOTIFICATION_MAPPED

SLS-0618-SLS-DAY-END

Dry Run OK

CONTROL-M

- The overrun alert raises a JAMS event without cancelling the job, matching Control-M. The Control-M SHOUT destination is not in the export, so a send-email element was scaffolded with no recipient — add an address to route this alert separately. The JAMS default catch-all notification delivers it until then.

CONTROLM_SHOUT_DESTINATION_UNRESOLVED

SLS-RPT-1905-MARGIN-DETAIL

Dry Run OK

CONTROL-M

- The notification text, command or file paths use a Control-M built-in variable with no JAMS equivalent; it resolves to nothing at run time — in a file path that means a wrongly-named file rather than a visible failure. Replace it with the matching JAMS variable.
- An email notification was mapped — verify the recipient and trigger (on-start/success/error) in JAMS.

EMAIL_NOTIFICATION_MAPPED

Converted Jobs

STATUS	JOB NAME	SOURCE SERVER	JAMS FOLDER	EXEC METHOD	SCHEDULE	CREDENTIAL	JAMS ID	WARNINGS
Dry Run OK	FIN-0100-GL-EXTRACT	nw-prd-app01	INW-FIN-DAILY	Command	Daily at 01:00:00	NWIND\svc_batch	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	FIN-0130-GL-VALIDATE	nw-prd-etl01	INW-FIN-DAILY	UnixScript	Daily at 01:00:00	svc_etl	—	CONTROLM_ORDER_TIME_FROM_CHAIN CONTROLM_MACRO_UNMAPPED
Dry Run OK	FIN-0200-AP-POST	nw-prd-sql01	INW-FIN-DAILY	SQLCommand	Daily at 02:00:00	NWIND\svc_sqlagent	—	—
Dry Run OK	FIN-0215-AR-AGING	nw-prd-sql01	INW-FIN-DAILY	SQLStoredProc	Daily at 02:15:00	NWIND\svc_sqlagent	—	CONTROLM_DB_STORED_PROC_PARAMS
Dry Run OK	FIN-0230-SUBLEDGER-RECON	nw-prd-app02	INW-FIN-DAILY	PowerShell	Daily at 02:30:00	NWIND\svc_batch	—	CONTROLM_VARIABLE_FUNCTION CONTROLM_SHOUT_DESTINATION_UNRE CONTROLM_MACRO_UNMAPPED
Dry Run OK	FIN-0300-DAILY-CLOSE-GATE	—	INW-FIN-DAILY	Command	Daily at 03:00:00	—	—	CONTROLM_DUMMY_COMMAND_IGNORED EMAIL_NOTIFICATION_MAPPED
Dry Run OK	FIN-0330-CASHPOS-REPORT	nw-prd-rpt01	INW-FIN-DAILY	PowerShell	Daily at 03:30:00	NWIND\svc_batch	—	—
Dry Run OK	FIN-0400-FX-RATES	nw-prd-etl01	INW-FIN-DAILY	UnixScript	Daily at 04:00:00	svc_etl	—	—
Dry Run OK	FIN-0400-FX-RATES_2	nw-prd-etl01	INW-FIN-DAILY	UnixScript	Daily at 04:05:00	svc_etl	—	CONTROLM_DUPLICATE_JOB_NAME
Dry Run OK	FIN-0420-LEGACY-STATEMENTS	nw-prd-app01	INW-FIN-DAILY	Command	Daily at 04:30:00	NWIND\svc_batch	—	CONTROLM_RETIRED
Dry Run OK	FIN-0501-JOURNAL-IMPORT	nw-prd-etl01	INW-FIN-DAILY	UnixScript	Daily at 05:00:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED

STATUS	JOB NAME	SOURCE SERVER	JAMS FOLDER	EXEC METHOD	SCHEDULE	CREDENTIAL	JAMS ID	WARNINGS
Dry Run OK	FIN-0502-INTERCO-MATCH	nw-prd-etl01	\NW-FIN-DAILY	UnixScript	Daily at 05:07:00	svc_etl	—	—
Dry Run OK	FIN-0503-ACCRUAL-CALC	nw-prd-etl01	\NW-FIN-DAILY	UnixScript	Daily at 05:14:00	svc_etl	—	—
Dry Run OK	FIN-0504-ALLOC-RUN	nw-prd-etl01	\NW-FIN-DAILY	UnixScript	Daily at 05:21:00	svc_etl	—	CONTROLM_SHOUT_DESTINATION_UNRE CONTROLM_MACRO_UNMAPPED
Dry Run OK	FIN-0505-TAX-PROVISION	nw-prd-etl01	\NW-FIN-DAILY	UnixScript	Daily at 05:28:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED EMAIL_NOTIFICATION_MAPPED
Dry Run OK	FIN-0506-CONSOL-STAGE	nw-prd-etl01	\NW-FIN-DAILY	UnixScript	Daily at 05:35:00	svc_etl	—	—
Dry Run OK	FIN-0507-TRIALBAL-BUILD	nw-prd-etl01	\NW-FIN-DAILY	UnixScript	Daily at 05:42:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	FIN-0508-VARIANCE-SCAN	nw-prd-etl01	\NW-FIN-DAILY	UnixScript	Daily at 05:49:00	svc_etl	—	—
Dry Run OK	FIN-0509-COSTCENTER-ROLL	nw-prd-etl01	\NW-FIN-DAILY	UnixScript	Daily at 05:56:00	svc_etl	—	—
Dry Run OK	FIN-0510-SEGMENT-SPLIT	nw-prd-etl01	\NW-FIN-DAILY	UnixScript	Daily at 06:03:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	FIN-0511-FXREVAL-POST	nw-prd-etl01	\NW-FIN-DAILY	UnixScript	Daily at 06:10:00	svc_etl	—	CONTROLM_SHOUT_DESTINATION_UNRE
Dry Run OK	FIN-0512-CASHFLOW-STAGE	nw-prd-etl01	\NW-FIN-DAILY	UnixScript	Daily at 06:17:00	svc_etl	—	—
Dry Run OK	FIN-0513-LEDGER-SNAPSHOT	nw-prd-etl01	\NW-FIN-DAILY	UnixScript	Daily at 06:24:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	FIN-0514-GL-ARCHIVE	nw-prd-etl01	\NW-FIN-DAILY	UnixScript	Daily at 06:31:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED EMAIL_NOTIFICATION_MAPPED
Dry Run OK	FIN-ME-0100-PERIOD-OPEN	nw-prd-sql01	\NW-FIN-MONTHEND	SQLStoredProc	Monthly at 02:00:00	NWIND\svc_sqlagent	—	CONTROLM_DB_STORED_PROC_PARAMS
Dry Run OK	FIN-ME-0200-DEPRECIATION	nw-prd-etl01	\NW-FIN-MONTHEND	UnixScript	Monthly at 02:30:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	FIN-ME-0300-QUARTER-CONSOL	nw-prd-etl02	\NW-FIN-MONTHEND	UnixScript	Monthly at 04:00:00	svc_etl	—	—
Dry Run OK	FIN-ME-0400-STATUTORY-REPORTS	nw-prd-rpt01	\NW-FIN-MONTHEND	Command	Custom at 05:00:00	NWIND\svc_batch	—	CONTROLM_CALENDAR_SCHEDULE CONTROLM_MACRO_UNMAPPED
Dry Run OK	FIN-ME-0500-CLOSE-ARCHIVE	nw-prd-etl02	\NW-FIN-MONTHEND	UnixScript	—	svc_etl	—	CONTROLM_RBC_SCHEDULE CONTROLM_MACRO_UNMAPPED

STATUS	JOB NAME	SOURCE SERVER	JAMS FOLDER	EXEC METHOD	SCHEDULE	CREDENTIAL	JAMS ID	WARNINGS
Dry Run OK	FIN-ME-0600-AUDIT-EXTRACT	nw-prd-etl02	\NW-FIN-MONTHEND	UnixScript	—	svc_etl	—	CONTROLM_TIME_WITHOUT_RUN_DAYS CONTROLM_MACRO_UNMAPPED
Dry Run OK	FIN-ME-0601-REVENUE-CUTOFF	nw-prd-etl02	\NW-FIN-MONTHEND	UnixScript	Monthly at 06:00:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	FIN-ME-0602-INVENTORY-VALUE	nw-prd-etl02	\NW-FIN-MONTHEND	UnixScript	Monthly at 06:07:00	svc_etl	—	—
Dry Run OK	FIN-ME-0603-WIP-ROLLUP	nw-prd-etl02	\NW-FIN-MONTHEND	UnixScript	Monthly at 06:14:00	svc_etl	—	—
Dry Run OK	FIN-ME-0604-MARGIN-ANALYSIS	nw-prd-etl02	\NW-FIN-MONTHEND	UnixScript	Monthly at 06:21:00	svc_etl	—	CONTROLM_SHOUT_DESTINATION_UNRE CONTROLM_MACRO_UNMAPPED
Dry Run OK	FIN-ME-0605-BUDGET-COMPARE	nw-prd-etl02	\NW-FIN-MONTHEND	UnixScript	Monthly at 06:28:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED EMAIL_NOTIFICATION_MAPPED
Dry Run OK	FIN-ME-0606-FLASH-REPORT	nw-prd-etl02	\NW-FIN-MONTHEND	UnixScript	Monthly at 06:35:00	svc_etl	—	—
Dry Run OK	FIN-ME-0607-DISCLOSURE-EXTRACT	nw-prd-etl02	\NW-FIN-MONTHEND	UnixScript	Monthly at 06:42:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	FIN-ME-0608-PERIOD-LOCK	nw-prd-etl02	\NW-FIN-MONTHEND	UnixScript	Monthly at 06:49:00	svc_etl	—	—
Dry Run OK	DW-0200-STAGE-LOAD	nw-prd-ssis01	\NW-DW-ETL	SQLCommand	Daily at 02:00:00	NWIND\svc_ssis	—	CONTROLM_DB_Ssis_PACKAGE CONTROLM_DB_CMDLINE_IGNORED
Dry Run OK	DW-0300-DIMENSION-BUILD	nw-prd-etl01	\NW-DW-ETL	UnixScript	Daily at 03:00:00	svc_etl	—	—
Dry Run OK	DW-0400-FACT-BUILD	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 04:00:00	svc_etl	—	CONTROLM_OR_DEPENDENCY CONTROLM_MACRO_UNMAPPED
Dry Run OK	DW-0500-ERP-RECONCILE	nw-prd-ora01	\NW-DW-ETL	OdbcCommand	Daily at 05:00:00	svc_oracle	—	CONTROLM_DB_TYPE_NOT_SQLSERVER
Dry Run OK	DW-0600-MART-PUBLISH	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 06:00:00	svc_etl	—	CONTROLM_DEPENDENCY_UNRESOLVED
Dry Run OK	DW-0700-QUALITY-GATE	nw-prd-etl01	\NW-DW-ETL	UnixScript	Daily at 06:30:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED EMAIL_NOTIFICATION_MAPPED
Dry Run OK	DW-0800-RELEASE-NOTIFY	nw-prd-etl01	\NW-DW-ETL	UnixScript	Daily at 07:00:00	svc_etl	—	—
Dry Run OK	DW-0900-LOAD-MONITOR	nw-prd-etl01	\NW-DW-ETL	UnixScript	Daily at 06:00:00	svc_etl	—	CONTROLM_CYCLIC_STOP_IGNORED

STATUS	JOB NAME	SOURCE SERVER	JAMS FOLDER	EXEC METHOD	SCHEDULE	CREDENTIAL	JAMS ID	WARNINGS
Dry Run OK	DW-1001-CUSTOMER-DIM-QA	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 08:00:00	svc_etl	—	CONTROL_M_MACRO_UNMAPPED
Dry Run OK	DW-1002-PRODUCT-DIM-QA	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 08:07:00	svc_etl	—	—
Dry Run OK	DW-1003-SALES-AGG-DAY	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 08:14:00	svc_etl	—	—
Dry Run OK	DW-1004-SALES-AGG-WEEK	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 08:21:00	svc_etl	—	CONTROL_M_SHOUT_DESTINATION_UNRE CONTROL_M_MACRO_UNMAPPED
Dry Run OK	DW-1005-INVENTORY-SNAPSHOT	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 08:28:00	svc_etl	—	CONTROL_M_MACRO_UNMAPPED EMAIL_NOTIFICATION_MAPPED
Dry Run OK	DW-1006-SUPPLIER-SCORECARD	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 08:35:00	svc_etl	—	—
Dry Run OK	DW-1007-RETURN-S-AGG	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 08:42:00	svc_etl	—	CONTROL_M_MACRO_UNMAPPED
Dry Run OK	DW-1008-MARGIN-CUBE	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 08:49:00	svc_etl	—	—
Dry Run OK	DW-1009-FORECAST-STAGE	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 08:56:00	svc_etl	—	—
Dry Run OK	DW-1010-FORECAST-PUBLISH	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 09:03:00	svc_etl	—	CONTROL_M_MACRO_UNMAPPED
Dry Run OK	DW-1011-LOOKUP-REFRESH	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 09:10:00	svc_etl	—	CONTROL_M_SHOUT_DESTINATION_UNRE
Dry Run OK	DW-1012-STATS-UPDATE	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 09:17:00	svc_etl	—	—
Dry Run OK	DW-1013-INDEX-REBUILD	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 09:24:00	svc_etl	—	CONTROL_M_MACRO_UNMAPPED
Dry Run OK	DW-1014-PARTITION-SWITCH	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 09:31:00	svc_etl	—	CONTROL_M_MACRO_UNMAPPED EMAIL_NOTIFICATION_MAPPED
Dry Run OK	DW-1015-RETENTION-PURGE	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 09:38:00	svc_etl	—	—
Dry Run OK	DW-1016-LOAD-AUDIT	nw-prd-etl02	\NW-DW-ETL	UnixScript	Daily at 09:45:00	svc_etl	—	CONTROL_M_MACRO_UNMAPPED
Dry Run OK	SCM-0500-PO-SEND-ACME	nw-prd-sftp01	\NW-SCM-INTERFACE	FileTransfer	Daily at 05:00:00	svc_mft	—	CONTROL_M_FTP_MANUAL_CONFIG
Dry Run OK	SCM-0530-ASN-RECV-BRDG	nw-prd-sftp01	\NW-SCM-INTERFACE	FileTransfer	Daily at 05:30:00	svc_mft	—	CONTROL_M_FTP_MANUAL_CONFIG

STATUS	JOB NAME	SOURCE SERVER	JAMS FOLDER	EXEC METHOD	SCHEDULE	CREDENTIAL	JAMS ID	WARNINGS
Dry Run OK	SCM-0600-INVOICE-RECV-CSTL	nw-prd-sftp01	\NW-SCM-INTERFACE	FileTransfer	Daily at 06:00:00	svc_mft	—	CONTROLM_FTP_MANUAL_CONFIG
Dry Run OK	SCM-0630-INBOUND-ARCHIVE	nw-prd-sftp01	\NW-SCM-INTERFACE	FileTransfer	Daily at 06:30:00	svc_mft	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	SCM-0700-PARTNER-RELAY	nw-prd-sftp01	\NW-SCM-INTERFACE	FileTransfer	Daily at 07:00:00	svc_mft	—	CONTROLM_FTP_MANUAL_CONFIG CONTROLM_FTP_REMOTE_TO_REMOTE
Dry Run OK	SCM-0730-INVENTORY-SEND-DELT	nw-prd-sftp01	\NW-SCM-INTERFACE	FileTransfer	Daily at 07:30:00	svc_mft	—	CONTROLM_FTP_MANUAL_CONFIG
Dry Run OK	SCM-0745-CARRIER-FILE-WATCH	nw-prd-sftp01	\NW-SCM-INTERFACE	Command	Daily at 07:45:00	svc_mft	—	CONTROLM_FTP_WATCH_ONLY
Dry Run OK	SCM-0750-NIGHTLY-PARTNER-EXCHANGE - Transfer 1	nw-prd-sftp01	\NW-SCM-INTERFACE	FileTransfer	—	svc_mft	—	CONTROLM_FTP_MANUAL_CONFIG
Dry Run OK	SCM-0750-NIGHTLY-PARTNER-EXCHANGE - Transfer 2	nw-prd-sftp01	\NW-SCM-INTERFACE	FileTransfer	—	svc_mft	—	CONTROLM_FTP_MANUAL_CONFIG
Dry Run OK	SCM-0750-NIGHTLY-PARTNER-EXCHANGE - Transfer 3	nw-prd-sftp01	\NW-SCM-INTERFACE	FileTransfer	—	svc_mft	—	CONTROLM_FTP_MANUAL_CONFIG
Dry Run OK	SCM-0750-NIGHTLY-PARTNER-EXCHANGE	nw-prd-sftp01	\NW-SCM-INTERFACE	Sequence	Daily at 07:50:00	svc_mft	—	CONTROLM_MULTI_TRANSFER_SEQUENC
Dry Run OK	SCM-0755-CATALOG-RECV-CSTL	nw-prd-sftp01	\NW-SCM-INTERFACE	FileTransfer	Daily at 07:55:00	svc_mft	—	CONTROLM_FTP_NO_SOURCE_FILE CONTROLM_FTP_MANUAL_CONFIG
Dry Run OK	SCM-0800-EDI-TRANSLATE	nw-prd-etl01	\NW-SCM-INTERFACE	UnixScript	Daily at 08:00:00	svc_etl	—	—
Dry Run OK	SCM-0901-DEMAND-SIGNAL	nw-prd-etl01	\NW-SCM-INTERFACE	UnixScript	Daily at 09:00:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	SCM-0902-SAFETY-STOCK-CALC	nw-prd-etl01	\NW-SCM-INTERFACE	UnixScript	Daily at 09:07:00	svc_etl	—	—

STATUS	JOB NAME	SOURCE SERVER	JAMS FOLDER	EXEC METHOD	SCHEDULE	CREDENTIAL	JAMS ID	WARNINGS
Dry Run OK	SCM-0903-REORDER-POINT	nw-prd-etl01	\NW-SCM-INTERFACE	UnixScript	Daily at 09:14:00	svc_etl	—	—
Dry Run OK	SCM-0904-PO-SUGGEST	nw-prd-etl01	\NW-SCM-INTERFACE	UnixScript	Daily at 09:21:00	svc_etl	—	CONTROL_M_SHOUT_DESTINATION_UNRE CONTROL_M_MACRO_UNMAPPED
Dry Run OK	SCM-0905-SUPPLIER-ALLOC	nw-prd-etl01	\NW-SCM-INTERFACE	UnixScript	Daily at 09:28:00	svc_etl	—	CONTROL_M_MACRO_UNMAPPED EMAIL_NOTIFICATION_MAPPED
Dry Run OK	SCM-0906-LEADTIME-REFRESH	nw-prd-etl01	\NW-SCM-INTERFACE	UnixScript	Daily at 09:35:00	svc_etl	—	—
Dry Run OK	SCM-0907-BACKORDER-SCAN	nw-prd-etl01	\NW-SCM-INTERFACE	UnixScript	Daily at 09:42:00	svc_etl	—	CONTROL_M_MACRO_UNMAPPED
Dry Run OK	SCM-0908-ALLOCATION-RUN	nw-prd-etl01	\NW-SCM-INTERFACE	UnixScript	Daily at 09:49:00	svc_etl	—	—
Dry Run OK	SCM-0909-WAVE-PLAN	nw-prd-etl01	\NW-SCM-INTERFACE	UnixScript	Daily at 09:56:00	svc_etl	—	—
Dry Run OK	SCM-0910-PICK-RELEASE	nw-prd-etl01	\NW-SCM-INTERFACE	UnixScript	Daily at 10:03:00	svc_etl	—	CONTROL_M_MACRO_UNMAPPED
Dry Run OK	SCM-0911-CARRIER-TENDER	nw-prd-etl01	\NW-SCM-INTERFACE	UnixScript	Daily at 10:10:00	svc_etl	—	CONTROL_M_SHOUT_DESTINATION_UNRE
Dry Run OK	SCM-0912-SHIPMENT-CONFIRM	nw-prd-etl01	\NW-SCM-INTERFACE	UnixScript	Daily at 10:17:00	svc_etl	—	—
Dry Run OK	HR-PAY-0100-TIMECARD-IMPORT	nw-prd-app02	\NW-HR-PAYROLL	PowerShell	Weekly at 01:00:00	NWIND\svc_batch	—	CONTROL_M_MACRO_UNMAPPED
Dry Run OK	HR-PAY-0200-PAYROLL-CALC	nw-prd-app02	\NW-HR-PAYROLL	Command	Weekly at 02:00:00	NWIND\svc_batch	—	SLA_MAPPED CONTROL_M_RUNAWAY_FROM_DEADLINE CONTROL_M_MACRO_UNMAPPED
Dry Run OK	HR-PAY-0300-BANKFILE-GEN	nw-prd-app02	\NW-HR-PAYROLL	Command	Weekly at 04:30:00	NWIND\svc_batch	—	CONTROL_M_STALLED_FROM_DEADLINE CONTROL_M_MACRO_UNMAPPED
Dry Run OK	HR-PAY-0400-BANKFILE-SEND	nw-prd-sftp01	\NW-HR-PAYROLL	FileTransfer	Weekly at 05:30:00	svc_mft	—	CONTROL_M_FTP_MANUAL_CONFIG CONTROL_M_MACRO_UNMAPPED
Dry Run OK	HR-PAY-0500-PAYSLIP-PUBLISH	nw-prd-app02	\NW-HR-PAYROLL	PowerShell	Weekly at 06:00:00	NWIND\svc_batch	—	CONTROL_M_MACRO_UNMAPPED EMAIL_NOTIFICATION_MAPPED CONTROL_M_DOCUMENTATION_DEFERRED CONTROL_M_MACRO_UNMAPPED
Dry Run OK	HR-PAY-0900-WEEKEND-RECONCILE	nw-prd-etl01	\NW-HR-PAYROLL	UnixScript	Weekly at 09:00:00	svc_etl	—	—

STATUS	JOB NAME	SOURCE SERVER	JAMS FOLDER	EXEC METHOD	SCHEDULE	CREDENTIAL	JAMS ID	WARNINGS
Dry Run OK	HR-BEN-1001-ELIGIBILITY-SCAN	nw-prd-app01	\NW-HR-PAYROLL	Command	Daily at 10:00:00	NWIND\svc_batch	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	HR-BEN-1002-DEDUCTION-CALC	nw-prd-app01	\NW-HR-PAYROLL	Command	Daily at 10:07:00	NWIND\svc_batch	—	—
Dry Run OK	HR-BEN-1003-CARRIER-EXTRACT	nw-prd-app01	\NW-HR-PAYROLL	Command	Daily at 10:14:00	NWIND\svc_batch	—	—
Dry Run OK	HR-BEN-1004-PENSION-FILE	nw-prd-app01	\NW-HR-PAYROLL	Command	Daily at 10:21:00	NWIND\svc_batch	—	CONTROLM_SHOUT_DESTINATION_UNRE CONTROLM_MACRO_UNMAPPED
Dry Run OK	HR-BEN-1005-HSA-CONTRIB	nw-prd-app01	\NW-HR-PAYROLL	Command	Daily at 10:28:00	NWIND\svc_batch	—	CONTROLM_MACRO_UNMAPPED EMAIL_NOTIFICATION_MAPPED
Dry Run OK	HR-BEN-1006-LEAVE-ACCRUAL	nw-prd-app01	\NW-HR-PAYROLL	Command	Daily at 10:35:00	NWIND\svc_batch	—	—
Dry Run OK	HR-BEN-1007-GARNISHMENT-APPLY	nw-prd-app01	\NW-HR-PAYROLL	Command	Daily at 10:42:00	NWIND\svc_batch	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	HR-BEN-1008-TAXFORM-STAGE	nw-prd-app01	\NW-HR-PAYROLL	Command	Daily at 10:49:00	NWIND\svc_batch	—	—
Dry Run OK	HR-BEN-1009-BENEFIT-AUDIT	nw-prd-app01	\NW-HR-PAYROLL	Command	Daily at 10:56:00	NWIND\svc_batch	—	—
Dry Run OK	OPS-DISK-CAPACITY-CHECK	nw-prd-etl01	\NW-OPS-UTIL	UnixScript	Daily at 06:00:00	svc_etl	—	—
Dry Run OK	OPS-OVERNIGHT-QUEUE-WATCH	nw-prd-etl02	\NW-OPS-UTIL	UnixScript	Daily at 19:00:00	svc_etl	—	—
Dry Run OK	OPS-LOG-PURGE	nw-prd-etl01	\NW-OPS-UTIL	UnixScript	Daily at 23:00:00	svc_etl	—	CONTROLM_RESOURCE_DROPPED
Dry Run OK	OPS-AS400-DAY-END	nw-prd-as400	\NW-OPS-UTIL	OS400	Daily at 22:00:00	QBATCH	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	OPS-SAP-VARIANT-RUN	nw-prd-app01	\NW-OPS-UTIL	Command	Daily at 21:00:00	NWIND\svc_batch	—	CONTROLM_SOURCE_NOT_WRITTEN
Dry Run OK	OPS-SET-RUN-FLAG	nw-prd-etl01	\NW-OPS-UTIL	UnixScript	Daily at 05:30:00	svc_etl	—	CONTROLM_DOVARIABLE_IGNORED
Dry Run OK	OPS-NIGHTLY-HEALTHCHECK	nw-prd-etl01	\NW-OPS-UTIL	UnixScript	Daily at 05:45:00	svc_etl	—	—
Dry Run OK	OPS-RECOVERY-RERUN	nw-prd-etl02	\NW-OPS-UTIL	UnixScript	—	svc_etl	—	CONTROLM_SUBMITTED_BY_FORCE

STATUS	JOB NAME	SOURCE SERVER	JAMS FOLDER	EXEC METHOD	SCHEDULE	CREDENTIAL	JAMS ID	WARNINGS
Dry Run OK	OPS-POSTLO AD-VALIDATION	nw-prd-etl02	\NW-OPS-UTIL	UnixScript	—	svc_etl	—	CONTROLM_ORDERED_ON_DEMAND
Dry Run OK	OPS-VENDOR-SYNC	nw-prd-app01	\NW-OPS-UTIL	Command	Daily at 04:30:00	NWIND\svc_batch	—	CONTROLM_FORCE_OK_IGNORED
Dry Run OK	OPS-INDEX-REBUILD - ONDEMAND	nw-prd-sql02	\NW-OPS-UTIL	SQLCommand	—	NWIND\svc_sqlagent	—	CONTROLM_NO_SCHEDULE
Dry Run OK	OPS-SESSION-AUDIT	nw-prd-app01	\NW-OPS-UTIL	Command	Daily at 07:00:00	NWIND\svc_batch	—	CONTROLM_PLATFORM_INFERRED
Dry Run OK	OPS-CERT-ROTATION	nw-prd-sftp01	\NW-OPS-UTIL	UnixScript	—	svc_mft	—	CONTROLM_GATED_WITHOUT_TRIGGER
Dry Run OK	OPS-AGENT-INVENTORY	nw-prd-etl01	\NW-OPS-UTIL	UnixScript	Daily at 00:00:00	svc_etl	—	CONTROLM_ORDER_TIME_ASSUMED
Dry Run OK	OPS-BACKUP-VERIFY-FULL	nw-prd-etl02	\NW-OPS-UTIL	UnixScript	Weekly at 02:00:00	svc_etl	—	CONTROLM_RUNAWAY_EVENT_CLASS_AS CONTROLM_SHOUT_DESTINATION_UNRE
Dry Run OK	OPS-SERVICE-HEALTH	nw-prd-app01	\NW-OPS-UTIL	PowerShell	Daily at 07:15:00	NWIND\svc_batch	—	—
Dry Run OK	OPS-FEED-FILEWATCH	nw-prd-etl01	\NW-OPS-UTIL	UnixScript	Daily at 00:15:00	svc_etl	—	CONTROLM_AGENT_UTILITY_COMMAND
Dry Run OK	OPS-1201-AGENT-PING	nw-prd-etl02	\NW-OPS-UTIL	UnixScript	Daily at 12:00:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	OPS-1202-SPACE-REPORT	nw-prd-etl02	\NW-OPS-UTIL	UnixScript	Daily at 12:07:00	svc_etl	—	—
Dry Run OK	OPS-1203-BACKUP-VERIFY	nw-prd-etl02	\NW-OPS-UTIL	UnixScript	Daily at 12:14:00	svc_etl	—	—
Dry Run OK	OPS-1204-PATCH-INVENTORY	nw-prd-etl02	\NW-OPS-UTIL	UnixScript	Daily at 12:21:00	svc_etl	—	CONTROLM_SHOUT_DESTINATION_UNRE CONTROLM_MACRO_UNMAPPED
Dry Run OK	OPS-1205-SERVICE-AUDIT	nw-prd-etl02	\NW-OPS-UTIL	UnixScript	Daily at 12:28:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED EMAIL_NOTIFICATION_MAPPED
Dry Run OK	OPS-1206-CONFIG-DRIFT	nw-prd-etl02	\NW-OPS-UTIL	UnixScript	Daily at 12:35:00	svc_etl	—	—
Dry Run OK	OPS-1207-LICENSE-CHECK	nw-prd-etl02	\NW-OPS-UTIL	UnixScript	Daily at 12:42:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	OPS-1208-METRIC-EXPORT	nw-prd-etl02	\NW-OPS-UTIL	UnixScript	Daily at 12:49:00	svc_etl	—	—

STATUS	JOB NAME	SOURCE SERVER	JAMS FOLDER	EXEC METHOD	SCHEDULE	CREDENTIAL	JAMS ID	WARNINGS
Dry Run OK	OPS-1209-ALERT-DIGEST	nw-prd-etl02	INW-OPS-UTIL	UnixScript	Daily at 12:56:00	svc_etl	—	—
Dry Run OK	OPS-1210-CAPACITY-TREND	nw-prd-etl02	INW-OPS-UTIL	UnixScript	Daily at 13:03:00	svc_etl	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	SLS-0400-ORDER-IMPORT	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 04:00:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-0430-CREDIT-CHECK	nw-prd-sql02	INW-SLS-ORDERS	SQLStoredProc	Daily at 04:30:00	NWIND\svc_sqlagent	—	CONTROLM_DB_STORED_PROC_PARAMS
Dry Run OK	SLS-0500-PRICING-REFRESH	nw-prd-etl01	INW-SLS-ORDERS	UnixScript	Daily at 05:00:00	svc_etl	—	—
Dry Run OK	SLS-0530-CATALOG-SYNC	nw-prd-app02	INW-SLS-ORDERS	Command	Daily at 05:30:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-0601-BACKORDER-RELEASE	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 06:00:00	NWIND\svc_batch	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	SLS-0602-ALLOCATION-CHECK	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 06:07:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-0603-PICKLIST-BUILD	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 06:14:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-0604-SHIPMENT-STAGE	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 06:21:00	NWIND\svc_batch	—	CONTROLM_SHOUT_DESTINATION_UNRE CONTROLM_MACRO_UNMAPPED
Dry Run OK	SLS-0605-CARRIER-RATE	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 06:28:00	NWIND\svc_batch	—	CONTROLM_MACRO_UNMAPPED EMAIL_NOTIFICATION_MAPPED
Dry Run OK	SLS-0606-LABEL-PRINT	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 06:35:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-0607-INVOICE-GENERATE	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 06:42:00	NWIND\svc_batch	—	CONTROLM_MACRO_UNMAPPED
Dry Run OK	SLS-0608-INVOICE-SEND	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 06:49:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-0609-COMMISSION-CALC	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 06:56:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-0610-TERRITORY-ROLLUP	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 07:03:00	NWIND\svc_batch	—	CONTROLM_MACRO_UNMAPPED

STATUS	JOB NAME	SOURCE SERVER	JAMS FOLDER	EXEC METHOD	SCHEDULE	CREDENTIAL	JAMS ID	WARNINGS
Dry Run OK	SLS-0611-QUOTA-UPDATE	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 07:10:00	NWIND\svc_batch	—	CONTROL_M_SHOUT_DESTINATION_UNRE
Dry Run OK	SLS-0612-RETURN S-PROCESS	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 07:17:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-0613-RMA-CREDIT	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 07:24:00	NWIND\svc_batch	—	CONTROL_M_MACRO_UNMAPPED
Dry Run OK	SLS-0614-CUSTOMER-SYNC	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 07:31:00	NWIND\svc_batch	—	CONTROL_M_MACRO_UNMAPPED EMAIL_NOTIFICATION_MAPPED
Dry Run OK	SLS-0615-LOYALTY-POINTS	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 07:38:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-0616-SALESTAX-FILE	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 07:45:00	NWIND\svc_batch	—	CONTROL_M_MACRO_UNMAPPED
Dry Run OK	SLS-0617-ORDERBOOK-SNAPSHOT	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 07:52:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-0618-SLS-DAY-END	nw-prd-app01	INW-SLS-ORDERS	Command	Daily at 07:59:00	NWIND\svc_batch	—	CONTROL_M_SHOUT_DESTINATION_UNRE
Dry Run OK	SLS-RPT-1901-DAILY-SALES	nw-prd-rpt01	INW-SLS-ORDERS	PowerShell	Daily at 19:00:00	NWIND\svc_batch	—	CONTROL_M_MACRO_UNMAPPED
Dry Run OK	SLS-RPT-1902-REGION-SUMMARY	nw-prd-rpt01	INW-SLS-ORDERS	PowerShell	Daily at 19:07:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-RPT-1903-CHANNEL-MIX	nw-prd-rpt01	INW-SLS-ORDERS	PowerShell	Daily at 19:14:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-RPT-1904-TOP-PRODUCTS	nw-prd-rpt01	INW-SLS-ORDERS	PowerShell	Daily at 19:21:00	NWIND\svc_batch	—	CONTROL_M_SHOUT_DESTINATION_UNRE CONTROL_M_MACRO_UNMAPPED
Dry Run OK	SLS-RPT-1905-MARGIN-DETAIL	nw-prd-rpt01	INW-SLS-ORDERS	PowerShell	Daily at 19:28:00	NWIND\svc_batch	—	CONTROL_M_MACRO_UNMAPPED EMAIL_NOTIFICATION_MAPPED
Dry Run OK	SLS-RPT-1906-REPScoreCARD	nw-prd-rpt01	INW-SLS-ORDERS	PowerShell	Daily at 19:35:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-RPT-1907-PIPELINE-AGING	nw-prd-rpt01	INW-SLS-ORDERS	PowerShell	Daily at 19:42:00	NWIND\svc_batch	—	CONTROL_M_MACRO_UNMAPPED

STATUS	JOB NAME	SOURCE SERVER	JAMS FOLDER	EXEC METHOD	SCHEDULE	CREDENTIAL	JAMS ID	WARNINGS
Dry Run OK	SLS-RPT-1908-FORECAST-ACCURACY	nw-prd-rpt01	\NW-SLS-ORDERS	PowerShell	Daily at 19:49:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-RPT-1909-EXEC-DASHBOARD	nw-prd-rpt01	\NW-SLS-ORDERS	PowerShell	Daily at 19:56:00	NWIND\svc_batch	—	—
Dry Run OK	SLS-RPT-1910-RPT-DISTRIBUTE	nw-prd-rpt01	\NW-SLS-ORDERS	PowerShell	Daily at 20:03:00	NWIND\svc_batch	—	CONTROL_M_MACRO_UNMAPPED